

MI_2111: Removing and mounting the substructure

 iVario Pro L / XL

 45 minutes

 Standard

 22/01/2026

General information

The illustrations in this manual are examples only and may differ from the unit.

Safety instructions

 **DANGER**

High voltages when connecting to the mains power

Danger to life due to high voltage.

- Disconnect from the power supply.
- Secure against unintentional switching on.
- Make sure the unit is disconnected from the power.

NOTICE

Damage to the appliance if lifted incorrectly

- Lift the unit with a suitable lifting device. Place some damage protection between the lifting device and the unit.
- Secure the unit to prevent tipping.
- Only lift the unit at the indicated lifting points.


Required components

Component:	Article number:
Substructure iVario Pro L, XL	87.00.793S


Removing the substructure

If the unit has storage space or a panel, these must be removed first.


1. Lift the unit to remove the substructure. Make sure that none of the connections are damaged. If necessary, disconnect the connections beforehand.
2. Remove the 4 feet.




3. Remove the 2 middle covers from the substructure.



4. Remove the 2 lower covers from the substructure.



5. Remove the rest of the substructure.



6. Place the unit on a suitable surface, e.g. on a kitchen block.

>> The substructure has been removed.

Attaching the substructure

Proceed in reverse order to attach the substructure.

Additional information**NOTICE**

Risk of injury if the modification instructions or the installation instructions are not observed

- A video is available to accompany these instructions. Nevertheless, note the information in the modification instructions and the installation instructions for the unit.

Scan the QR code to watch the video:



portal.rational-online.com/fs4p/media/service/3_dokumentationen/ivario_pro____ivario/video_2/praxis_videos_1/L_XL_substructure_removing.mp4