

MI_2505 Glass pane package - removal and installation



iCombi Pro / iCombi Classic / SelfCookingCenter



30 min.



Standard



22/05/2025

Topic

The information describes the installation of the glass pane package.

The glass pane package consists of the middle and inner glass pane. The glass pane packages can be used for right- or left-hinged units.

In addition, two glass pane supports are included with a new glass pane package for unit sizes 6-2/1 and 10-2/1.

Affected product/accessories

iCombi Pro/iCombi Classic electric units & gas units

- 6-1/1
- 6-2/1
- 10-1/1
- 10-2/1
- 20-1/1
- 20-2/1

Required tool

- Standard

Affected components

Component	Article number
Glass pane package SCC 061	24.04.895S
Glass pane package SCC 062	24.04.896S
Glass pane package SCC 101	24.04.897S
Glass pane package SCC 102	24.04.898S
Glass pane package SCC/ICP 062	24.06.269S
Glass pane package SCC/ICP 102	24.06.270S
Glass pane package Service 061	87.01.410
Glass pane package Service 062	87.01.411
Glass pane package Service 101	87.01.412
Glass pane package Service 102	87.01.413
Glass pane package Service 623E	87.01.416
Horizontal spacer 6-2/1 / 10-2/1	24.06.171P

General information

NOTICE

Enter the installation of the component on the service level ("Component replacement" tab). This is an integral part of the maintenance history.

Target group

Installation, inspection, maintenance and repair work must only be carried out by trained technicians and technicians authorised by the manufacturer. In order to prevent accidents or damage, the manufacturer recommends that technicians attend training and safety instructions.

NOTICE! You can find more information in the installation manual.

NOTICE


Observe regional and country-specific safety and testing regulations

The relevant regional, country-specific safety and testing regulations apply to all work on RATIONAL units. These regulations may vary by region and are country-specific and are therefore not listed separately in this document.

The technician is responsible for complying with these regulations.

Work steps – removal of the glass pane package

1. Open the glass pane package.




2. Lift out the old glass pane package.
 - > The removal is complete.

Work steps - installation of glass pane package for right-hinged units

1. For unit sizes 6-2/1 and 10-2/1, two glass pane supports are included. For these unit sizes, click in the glass pane supports top and bottom for the glass pane package.


Notice: There is a positioning lug in the centre at the top and bottom here.




2. Lift the new glass pane package onto the door hinge pins. The plastic cap is always on top.
3. Close the glass pane package.
 - > The installation is complete

Work steps - installation of glass pane package for left-hinged units


1. Remove the plastic cap from the hinge.



2. Fit the plastic cap on the opposite side of the hinge.



3. Turn the glass pane package 180° so that the plastic cap points upwards again.
4. For unit sizes 6-2/1 and 10-2/1, two glass pane supports are included. For these unit sizes, click in the glass pane supports top and bottom for the glass pane package.
Notice: There is a positioning lug in the centre at the top and bottom here.



5. Lift the new glass pane package onto the door hinge pins. The plastic cap is always on top.
6. Close the glass pane package.
 - > The installation is complete

