

MI_2606: Moisture Hose Set - Installation and Routing

 iCombi Pro / iCombi Classic / iHexagon

 30 min.

 Standard

 17/06/2026

Topic

These Modification Instructions describe how to install and properly route the hose set for moisture measurement.

Correct installation is required for the unit to function without issue or fault. Incorrect installation may result in inaccurate or falsified moisture measurement results.

Do not kink the moisture hoses during routing or installation.

Affected product/accessories

iCombi Pro / iCombi Classic / iHexagon

Required tool

- Standard

Required components

Component	Item number
Pressure sensor, 3 mbar, incl. hose set LM1; A	87.02.131S
Pressure sensor, 5 mbar, incl. hose set LM1 LM2; B-E(E), B-C(G)	87.02.132S
Pressure sensor, 5 mbar, incl. hose set LM1 LM2; F G(E)	87.02.133S
Pressure sensor, 5 mbar, incl. hose set LM1 LM2; D-E(G)	87.02.134S
Pressure sensor, 5 mbar, incl. hose set LM1 LM2; F G(G)	87.02.135S

General information

Information

Enter the component's installation at the service level (*Component Replacement* tab). This is an integral part of the maintenance history.

Target group

Installation, inspection, maintenance and repair work must only be carried out by trained technicians and technicians authorised by the manufacturer. In order to prevent accidents or damage, the manufacturer recommends that technicians attend training and safety instructions.

Information

For more information, see the installation manual.

Safety instructions

DANGER

High voltage when connecting to the mains power

Danger to life when working with high voltage.

- Disconnect from the power supply.
- Secure against unintentional switching on.
- Make sure the unit is disconnected from the power.

CAUTION

Sharp edges on the housing

Risk of cuts on the housing when working in the unit.

- Wear protective gloves.


Information

Observe regional and country-specific safety and testing regulations


The relevant regional, country-specific safety and testing regulations apply to all work on RATIONAL units. These regulations may vary by region and are country-specific and are therefore not listed separately in this document.

The technician is responsible for complying with these regulations.

Installation - Moisture Hose Set for Electric Units



Pict. 1: Installation for XS units



Pict. 2: Installation for tabletop units




Pict. 3: Installation for floor units


i Information

With floor units, the moisture hoses must be attached to the mounting clip below the unit top cover.

Installation - Moisture Hose Set for Gas Units



Pict. 4: Installation for tabletop units



Pict. 5: Installation for floor units

i Information

With floor units, the moisture hoses must be attached to the mounting clip below the unit top cover.